Plant Pathology

A record of current work on plant diseases and pests

INDEX

VOLUME 4 1955

Author : *pages* 2–3

Subject : *pages* 4–7

LONDON : HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

AGRICULTURAL BRANCH, METEOROLOGICAL OFFICE. The Weather of England and Wales, 30–1, 108–9.

AITKENHEAD, P., BARNES, H. F. and HEATH, G. W. Soil Sampling for Wheat Blossom Midges, 143–6.

BARNES, H. F. Avoiding Wheat Blossom Midge Attacks, 147.

BARNES, H. F. (*joint author*), see Aitkenhead, P., 143–6.

BATTS, C. C. V. and FIDDIAN, W. E. H. Effect of Previous Cropping on Eyespot in Four Varieties of Winter Wheat, 25–8.

BENTLEY, E. W., HAMMOND, L. E. and TAYLOR, EILEEN J. The Comparative Toxicity of 0·025 per cent and 0·005 per cent Warfarin to *Rattus norvegicus*, 120–3.

BEVERLEY-BURTON, MARY. *Pergamasus* sp. on Potato Roots in Scotland, 71.

BRENCHLEY, G. H. and JOHNSTONE, KATHARINE H. Grey Mould of Anemones in Cornwall, 54–7.

BROADBENT, L. and HEATHCOTE, G. D. Sources of Overwintering *Myzus persicae* (Sulzer) in England, 135–7.

BROWN, E. B. Eelworm in Scabious, 32.

BUXTON, E. W. Chalky Dry Rot of Freesia Corms, 69–70.

CHURCH, B. M. Weed-killers and Insecticides used on Cereals, Peas, Swedes and Kale, 1954, 131–3.

CORNFORD, C. E. Maleic Hydrazide as a Shoot Depressant for Clamped Mangolds and Fodder Beets, 89–90.

COX, A. E. and MASON, H. J. Frost-lift Damage to Winter-sown Barley, 148.

DAVIES, D. L. G., NOBLE, MARY and NORMAN, THERESA. Halo Blight of Oats, 33.

FIDDIAN, W. E. H. (*joint author*), see Batts, C. C. V., 25–8.

FISHER, DOROTHY E. Perithecial Stage of *Didymella lycopersici* on Tomatoes, 71.

GANDY, DOREEN G. Some Disorders of Cultivated Mushrooms, 118–9.

GOUGH, H. C. *Thrips angusticeps* Uzel attacking Peas, 53.

GOULD, H. J. (*joint author*), see Light, W. I. St. G., 58–9.

GRIFFITHS, D. J. (*joint author*), see Jones, J. M., 35–43.

HAMLYN, BRENDA M. G. Aphid Transmission of Cauliflower Mosaic on Turnips, 13–6.

HAMMOND, L. E. (*joint author*), see Bentley, E. W., 120–3.

HANCOCK, J. W. Privet Thrips on Imported Plants, 72.

HEATH, G. W. (*joint author*), see Aitkenhead, P., 143–6.

HEATHCOTE, G. D. (*joint author*), see Broadbent, L., 135–7.

HENDERSON, D. M. *Cystopus candidus* on Aubrietia, 110.

HICKMAN, C. J., SCHOFIELD, ELIZABETH R. and TAYLOR, R. ERIC. Light Leaf Spot of Brassicae, 129–31.

HIRST, J. M. The Early History of a Potato Blight Epidemic, 44–50.

HIRST, J. M., STOREY, I. F., WARD, W. C. and WILCOX, H. J. The Origin of Apple Scab Epidemics in the Wisbech Area in 1953 and 1954, 91–6.

HOLDEN, J. H. W. (*joint author*), see Jones, J. M., 35–43.

HOLLINGS, M. Aphid Movement and Virus Spread in Seed Potato Areas of England and Wales, 1950–53, 73–82.

HOLLINGS, M. Physiological Ring Pattern in some Gesneraceae, 123–8.

HONEY, JUNE K. (*joint author*), see Large, E. C., 1–8.

HULL, R. Sugar Beet Yellows in Great Britain, 1954, 134.

IBBOTSON, A. Selective Damage by Badgers in an Oat Trial, 72.

IBBOTSON, A. (*joint author*), see Strickland, A. H., 60–8.

IVES, JUNE V. An Abnormal Form of Skin Spot on Potatoes, 17–21.

IVES, JUNE V. Ergot on Canary Grass, 32.

JENKINS, J. E. E. and STOREY, I. F. Star Cracking of Apples in East Anglia, 50–2.

JOHN, MARGARET E. (*joint author*), see Moreton, B. D., 9–11.

JOHNSTONE, KATHARINE H. (*joint author*), see Brenchley, G. H., 54–7.

JONES, J. M., GRIFFITHS, D. J. and HOLDEN, J. H. W. Varietal Resistance in Oats to Attacks by the Stem and Bulb Eelworm, 35–43.

LARGE, E. C. and HONEY, JUNE K. Survey of Common Scab of Potatoes in Great Britain, 1952 and 1953, 1–8.

LAST, F. T. Effect of Powdery Mildew on the Yield of Spring-sown Barley, 22–4.

LEGOWSKI, T. J. Frit Fly Damage on Wheat, 32.

LIGHT, W. I. ST. G. Observations on Wheat Blossom Midges in Sussex, 146–7.

LIGHT, W. I. ST. G. and GOULD, H. J. Experiments on Control of Bean Seed Flies, 58–9.

LIGHT, W. I. ST. G. (*joint author*), see Moreton, B. D., 141–2.

LOWINGS, P. H. Some Storage Rots of Celery caused by *Centrospora acerina* and other Fungi, 106–7.

MASON, H. J. (*joint author*), see Cox, A. E., 148.

MATHER, J. C. Trials on Soil Transmission of Tobacco Necrosis Viruses in Tulips, 96–7.

MCDONALD, I. (*joint author*), see Shaw, M. W., 11–3.

MORETON, B. D. and JOHN, MARGARET E. The Mushroom Phorid Fly Epidemic of 1953, 9–11.

MORETON, B. D. and LIGHT, W. I. ST. G. Control of Cabbage Root Fly by Root Dips, 141–2.

MORGAN, H. G. The Artichoke Tuber Aphid on Chrysanthemums, 72.

MORGAN, H. G. A New Type of Eelworm Counting Dish, 84–5.

NOBLE, MARY (*joint author*), see Davies, D. L. G., 33.

NORMAN, THERESA (*joint author*), see Davies, D. L. G., 33.

OGILVIE, L. (*joint author*), see Wehrle, Valerie M., 111–3.

RAW, F. The Effect of Soil Conditions on Wheat Bulb Fly Oviposition, 114–7.

REID, ELIZABETH. A Rolling Method for Opening Cysts of Potato Root Eelworm, 28–9.

ROBERTSON, A. G. Flower Scorch of Chrysanthemum, 33.

SCHOFIELD, ELIZABETH R. (*joint author*), see Hickman, C. J., 129–31.

SHAW, M. W. *Elachiptera cornuta* damaging Gladioli, 110.

SHAW, M. W. Overwintering of *Myzus persicae* (Sulzer) in North-east Scotland, 137–8.

SHAW, M. W. and MCDONALD, I. Comparison of Aldrin and BHC for the Control of Carrot Fly, 11–3.

SOUTHEY, J. F. Survey of Cereal Root Eelworm in England and Wales, 1954, 98–102.

STOKES, BARBARA M. Host Plants of Wheat Bulb Fly, 102–5.

STOREY, I. F. Damping-off and Leaf Blight in Azalea, 71.

STOREY, I. F. (*joint author*), see Jenkins, J. E. E., 50–2.

STOREY, I. F. (*joint author*), see Hirst, J. M., 91–6.

STRICKLAND, A. H. and IBBOTSON, A. An Insect Pest Reporting Scheme, 60–8.

STROYAN, H. L. G. *Macrosiphum gei* on Caryophyllaceae, 110.

TAYLOR, EILEEN J. (*joint author*), see Bentley, E. W., 120–3.

TAYLOR, R. ERIC (*joint author*), see Hickman, C. J., 129–31.

WARD, W. C. (*joint author*), see Hirst, J. M., 91–6.

WEHRLE, VALERIE M. and OGILVIE, L. Effect of Ley Grasses on the Carry-over of Take-all, 111–3.

WILCOX, H. J. (*joint author*), see Hirst, J. M., 91–6.

WINSLOW, R. D. The Effects of some Leguminous Crops on the Soil Population Level of Pea Root Eelworm, 86–8.

WINSLOW, R. D. Experiments on the Control of the Potato Root Eelworm by Trap Cropping with Black Nightshade, 139–40.

WOODVILLE, H. C. Experiments on the Control of Bulb Fly in Narcissus, 83–4.

SUBJECT INDEX

Aldrin for Control of :
Bean Seed Flies, 58.
Bulb Fly in Narcissus, 83.
Cabbage Root Fly, 142.
Carrot Fly, 11.

Alopecurus myosuroides, 32, 144.

Anemones : Grey Mould, 54 ; Winter Browning, 55.

Aphelenchoides blastophthorus, 32.

Aphelenchoides fragariae, 32.

Aphelenchoides ritzema-bosi, 32.

Aphid Movement and Virus Spread in Seed Potato Areas of England and Wales, 1950–53, 73.

Aphis fabae, 134, 136.

Aphis rhamni, 79.

Apple Scab : Origin of Epidemics in the Wisbech Area in 1953 and 1954, 91.

Apples : Star Cracking, in East Anglia, 50.

Aubrietia : *Cystopus candidus* on, 110.

Aulacorthum solani, 78.

Azalea : Damping-off and Leaf Blight, 71.

Azalea indicum, 71.

Azalea japonicum, 71.

Badgers : Selective Damage in an Oat Trial, 72.

Barley :
Effect of Powdery Mildew on Yield, 22.
Eyespot, 25.
Weed-killers used on, 132.
Winter-sown, Frost-lift Damage on, 148.

Bean Seed Flies : Experiments on Control of, 58.

Bellis perennis, 33.

BHC for Control of :
Bean Seed Flies, 58.
Cabbage Root Fly, 141.
Carrot Fly, 11.
Flea Beetle on Kale and Swedes, 133.
Mushroom Phorid Fly, 10.

Bibio marci, 34.

Botrytis cinerea, 54, 107.

Brassicae : Light Leaf Spot of, 129.

Brevicoryne brassicae, 13, 60.

Brussels Sprouts : Ecological Factors in Cabbage Aphid Attack, 64 ; Light Leaf Spot, 129.

Cabbage Aphids : Ecological Factors, 64.

Cabbage Root Fly : Control by Root Dips, 141.

Canary Grass : Ergot on, 32.

Carrot Fly : Comparison of Aldrin and BHC for Control of, 11.

Cauliflower : Light Leaf Spot, 129.

Celery : Some Storage Rots caused by *Centrospora acerina* and other Fungi, 106.

Centrospora acerina, 106.

Cercosporella herpotrichoides, 25, 113.

Chortophila cilicrura, 114.

Chrysanthemum : Artichoke Tuber Aphid on, 72 ; Flower Scorch, 33.

Chrysanthemum maximum, 72.

Claviceps purpurea, 32.

Clinodiplosis spp., 144.

Coelopa frigida, 9.

Contarinia merceri, 144.

Contarinia tritici, 143, 146, 147.

Corticium solani, 26.

Cylindrosporium concentricum, 130.

Cystopus candidus, 110.

2,4–D : Damage to Roses and Lettuce, 70 ; Use on Cereals, 133.

Dahlia : Flower Scorch, 33.

Dasyneura sp., 145.

DDT for Control of :
Flea Beetle on Kale and Swedes, 133.
Mushroom Phorid Fly, 10.
Pea Thrips, 53.

DDT : Use on Peas, 133.

Delia spp., 58.

Dendrothrips ornatus, 72.

Dianthus spp., 110.

Didymella lycopersici, 71.

Dieldrin for Control of :
Bulb Fly in Narcissus, 83.
Cabbage Root Fly, 141.
Mushroom Phorid Fly, 11.

Dilophus febrilis, 34.

Dinoseb : Use on Peas, 133.

Diplodina lycopersici, 71.

Dipterous Pests of Cereals in 1954, 34.

Disease Measurement : Cereal Mildew, 22 ; Common Scab of Potatoes, 1.

Ditylenchus dipsaci, 35.

DNC : Use on Cereals, 133.

Eelworm :
In Beans, 36.
In Oats, 35.
In Potatoes, 28.
In Scabious, 32.
Survey in Cereals, 98.
Eelworm Counting Dish : a New Type of, 84.
Eelworms : Microplot Technique, 86.
Elachiptera cornuta, 110.
Entyloma calendulae, 33.
Erioischia brassicae, 141.
Erysiphe graminis, 22, 27.
Euonymus europaeus, 136.
Eyespot in Winter Wheat : Effect of Previous Cropping, 25.

Fodder Beet : Depression of Shoots, 89.
Forecasting : Potato Blight, 49.
Freesia Corms : Chalky Dry Rot on, 69.
Frit Fly : Damage to Cereals, 1954, 34 ; Survey Data on Oats and Wheat, 68.
Frost-lift Damage to Winter-sown Barley, 148.
Fusarium oxysporum, 69.

Gesneras : Ring Patterns in, 123.
Gladioli : Damage by *Elachiptera cornuta*, 110.
Gladiolus Corm Rots, 69.
Gloeosporium concentricum, 129.
Gloeosporium perennans, 52.
Gloxinias : Ring Patterns in, 123.
Grey Mould of Anemones in Cornwall, 54.

Haplodiplosis equestris, 144.
Heterodera gottingiana, 86.
Heterodera major, 36, 98.
Heterodera rostochiensis, 28, 71, 139.
Heterodera schachtii, 140.
Hot-water Treatment : Narcissus Bulbs, 83.
Hylemyia coarctata, 114.

Isodrin for Control of Cabbage Root Fly, 142.
*Iso*propyl phenylcarbamate, and Skin Spot of Potatoes, 17.

Kale : Use of Weed-killers and Insecticides on, 133.

"La France" Disease of Mushrooms, 118.
Lathyrus odoratus, 87.
Leptohylemyia coarctata, 34, 102.
Lestodiplosis spp., 144.
Lettuce : Damage by 2,4–D Drift, 79.
Lime Sulphur for Control of Cereal Mildew, 22.

Macrosiphum euphorbiae, 78.
Macrosiphum gei, 110.
Malathion for Control of Mushroom Phorid Fly, 11.
Maleic Hydrazide as Shoot Depressant for Clamped Mangolds and Fodder Beets, 89.
Mangolds : Depression of Shoots, 89.
Matthiola incana, 140.
MCPA : Use on Cereals, 133.
Megaselia halterata, 9.
Megaselia nigra, 9.
Megaselia plurispinosa, 9.
Merodon equestris, 83.
Meromyza sp., 34.
Methyl Cellulose as Sticker for Seed Dressings, 58.
Mushrooms : Cultivated, some Disorders of, 118 ; Phorid Fly Epidemic of 1953, 9.
Mus musculus, 120.
Myzus ascalonicus, 138.
Myzus persicae, 13, 60, 75, 89, 134.
Myzus persicae, Overwintering :
In England, 135.
In North-east Scotland, 137.
Morphological Differences between Fundatrigeniae and Virginogeniae, 135.
On Mangold and Fodder Beet, 89.

Narcissus : Control of Bulb Fly, 83.
New or Uncommon Plant Diseases and Pests, 32, 71, 110.

Oats :
Cereal Root Eelworm, 100.
Damage by Badgers, 72.
Frit Fly, 34, 67.
Halo Blight, 33.
Varietal Resistance to Stem and Bulb Eelworm, 35.
Weed-killers used on, 132.

LIBRARY
1956
New Mexico College of Agriculture and Mechanic Arts

Oil Sprays : Use with Insecticides against Carrot Fly, 12.
Oospora pustulans, 17.
Ophiobolus graminis, 26, 111.
Opomyza florum, 34.
Opomyza germinationis, 34.
Oscinella frit, 32, 34, 60.

Panagrolaimus rigidus, 38.
Parathion for Control of Pea Thrips, 53.
Pea Root Eelworm : Effects of some Leguminous Crops on Soil Population Level, 86.
Peas : Attacked by *Thrips angusticeps*, 53 ; Use of Weed-killers and Insecticides on, 133.
Pergamus sp., 71.
Peronospora ficariae, 54.
Pest Assessment :
Cabbage Aphids, 64.
Carrot Fly, 12.
Reporting Scheme, 60.
Phalaris canariensis, 32.
Phorid Fly : Epidemic on Mushrooms, 9.
Physiological Ring Pattern in some Gesneraceae, 123.
Phytophthora infestans, 44.
Potatoes :
Abnormal Form of Skin Spot, 17.
Aphid Movement and Virus Spread in Seed Areas, 73.
Common Scab Survey, 1.
Early History of a Blight Epidemic, 44.
Ecological Factors affecting *Myzus persicae* on, 66.
Pergamus sp. on Roots, 71.
Suberization in Cut Tubers, 20.
Potato Root Eelworm : Rolling Method for Opening Cysts, 28 ; Trap Cropping with Black Nightshade, 139.
Privet Thrips on Imported Plants, 72.
Prunas persica, 135.
Pseudomonas coronafaciens, 33.
Psila rosae, 11.

Rats : Control by Warfarin, 120.
Rattus norvegicus, 120.
Rattus rattus, 120.
Reporting Scheme for Insect Pests, 60.
Rhizoctonia solani, 71.
Rhizoglyphus echinopus, 71.
Roses : Damage by 2,4–D Drift, 70.
Rye : Frit Fly, 34.

Saintpaulias : Ring Patterns in, 123.
Scabiosa caucasica, 32.
Scabious : Eelworm in, 32.
Sclerotinia sclerotiorum, 106.
Seed Dressings : Beans, 58.
Septoria apii-graveolentis, 107.
Sitodiplosis mosellana, 143.
Solanum nigrum, 139.
Spore Trapping : Apple Scab, 91.
Streptomyces scabies, 1.
Sugar Beet : Losses due to Virus Yellows, 1954, 134.
Survey Methods :
Cereal Root Eelworm, 101.
Common Scab of Potatoes, 1.
Potato Aphids, 81.
Potato Viruses, 81.
Reporting Scheme for Insect Pests, 60.
Surveys :
Cabbage Aphids, 64.
Cereal Root Eelworm in England and Wales, 1954, 98.
Common Scab of Potatoes, 1.
Frit Fly, 67.
Potato Aphids, 66.
Potato Viruses in Seed Areas, 75.
Swedes : *Myzus persicae* on, 137 ; Use of Weed-killers and Insecticides on, 133.
Sweet William : *Macrosiphum gei* on, 110.

Take-all : Effect of Ley Grasses on Carry-over, 111.
TCNB (Tetrachloronitrobenzene) for Control of : Damping-off in Azalea, 71 ; Grey Mould of Anemones, 56.
Thiram : Seed Dressing for Beans, 58.
Thrips angusticeps, 53.
Tipula spp., 34.
Tomatoes : Perithecial Stage of *Didymella lycopersici* on, 71.
Toxaphene for Control of Cabbage Root Fly, 141.
Trama troglodytes, 72.
Tulips : Trials on Soil Transmission of Tobacco Necrosis Viruses in, 96.
Turnips : Aphid Transmission of Cauliflower Mosaic on, 13 ; *Myzus persicae* on, 137.

Venturia inaequalis, 91.

Virus Diseases :
- Cauliflower Mosaic on Turnips, 13.
- Green Crinkle, False Sting and Star Cracking of Apple, 52.
- Potato Leaf Roll, 73.
- Potato Rugose Mosaic, 73.
- Sugar Beet Virus Yellows, 134.
- Tobacco Necrosis in Tulips, 96.

Warfarin : Comparative Toxicity of 0·025 and 0·005 per cent, to *Rattus norvegicus*, 120.

Weather of England and Wales : Spring and Summer, 1954, 31 ; Autumn and Winter, 1954–55, 109.

Weed-killers and Insecticides used on Cereals, Peas, Swedes and Kale, 1954, 131.

Wheat :
- Dipterous Pests, 34.
- Eyespot, 25, 113.
- Frit Fly, 32, 67.
- Host Plants of Wheat Bulb Fly, 102.
- Mildew, 27.
- Sharp Eyespot, 26.
- Take-all, 26, 113.
- Weed-killers used on, 132.
- Wheat Bulb Fly Damage in 1954, 34.
- Wheat Bulb Fly, Effect of Soil Conditions on Oviposition, 114.

Wheat Blossom Midges :
- Avoiding Attacks by, 147.
- Observations in Sussex, 146.
- Soil Sampling for, 143.

(4019) Wt. 45 K.9 3/56 Hw.

FOUR OAKS

means EVERYTHING in Sprayers

Tractor-mounted and trailer units for crops and grass lands.



Pneumatic knapsack machines in many patterns and sizes.

Hand sprayers giving atomized spray.

Renowned the World over for quality, reliability and long service and backed by over 40 years' experience, FOUR OAKS machines are designed by specialists to meet the exacting requirements of each particular purpose.

* * *

A comprehensive, illustrated catalogue describing the complete range of FOUR OAKS machines is available on request.

THE FOUR OAKS SPRAYING MACHINE C L
FOUR OAKS · BIRMINGHAM
Phone: Four Oaks 305 & 1560 Grams: Sprayers Four Oaks

The Diagnosis of Mineral Deficiencies in Plants by Visual Symptoms

(2nd Edition)

A COLOUR ATLAS AND GUIDE

T. WALLACE, C.B.E., M.C., D.Sc., F.R.I.C.

Written primarily for the use of technical officers and advisers concerned with problems of crop production, and for progressive farmers, vegetable growers and fruit growers, this book describes a method of recognising, by sight, deficiency symptoms of the various plant nutrients in commonly grown agricultural and horticultural crops. When the method can be used, it provides the quickest means of determining the causes of failures due to mineral deficiencies and it will often enable a full crop to be harvested where otherwise complete failure might result

312 full colour plates **107 pp. text**

Price 35s. 0d. net
(35s. 8d. including postage)

Obtainable from

HER MAJESTY'S STATIONERY OFFICE

at the addresses on the title page
or through any bookseller